Independent Practice Competency Assessment			
Trainee Name:Supervisor Name:			ate:
Procedure # completed by trainee			
Procedures up to Completion of TEACH Rotation and Early Abortion Training	g Workbook Ex	cercises <u>Y</u>	wks _/ N
SUPERVISOR / TRAINER			
		5	
Skill Assessed	Beginner	Developing Competence	Competent
1. Accurately examines for uterine position and size			
2. Safely dilates cervix to correct size for EGA and safely assimilates landmarks for aspiration (e.g. size, flexion).			
3. Consistently anticipates needs and uses no-touch technique during set-up and procedure			
4. Appropriately attends to patient comfort			
5. Maintains adequate speed performing procedure			
6. Accurately assesses uterus and POC for completeness of procedures			
8. Appropriately identifies and requests assistance for potential problems		`	
9. Has appropriate knowledge base			
40. Compart level of confidence in the trainer's chiller to	Law	A	l li ada
10. Current level of confidence in the trainee's ability to perform this procedure safely without supervision	Low 1 2 3	Average 4 5 6	High 7 8 9
Comments/Examples:		, ,	
Trainer complete, fold here, give to Trainee to complete, then open & discuss <u>TRAINEE</u>			
Skill Assessed	Beginner	Developing Competence	Competent
Accurately examines for uterine position and size			
2. Safely dilates cervix to correct size for EGA and safely assimilates landmarks for aspiration (e.g.: size, flexion).			
Consistently anticipates needs and uses no-touch technique during set-up and procedure			
4. Appropriately attends to patient comfort			
5. Maintains adequate speed performing procedure			
6. Accurately assesses uterus and POC for completeness of procedures			
8. Appropriately identifies and requests assistance for potential problems			
9. Has appropriate knowledge base			
40 Comment level of confidence in more 1991 (		A	J. C. vol.
10. Current level of confidence in my ability to perform this procedure safely without supervision	1 2 3	Average 4 5 6	High 7 8 9
Comments/Examples:			
I agree to involve a Supervising MD for cases > 10 weeks, prolonged (> 10 minutes), and potential complications. Initials			